Electronic News E 108



Electronics New E108

gbeelectronics.com









Security Alarms and Fire Systems - Compact Alarm Systems - Electronic news E 108 Raisine gor Note twill that the alx Yet Sales price £76.33 Discount Tax amount

Ask a question about this product

Description

Electronic news E 108

- is a harbinger of alarm logic microprocessor extremely compact, flexible and reliable.
- Instrument signal through indicator lights and controls for audible warning of any abnormal state variable process.

gbeelectronics.com

- The input signals standard (max 8 points) are NO or NC contacts from sensitive devices such as switches
 - thermostats, level, minimal signal relays, etc..
- Visualization is achieved with 8 dual LED 0.5 "x 0.25" high efficiency.
- For each viewer of the plates can be inserted with an indication of the variable and the type of alarm
- On the tool are available commands for reset and try replicated in terminal.
- Programming sequence ISA.
- The selection is done via software ISA-A/ISA-F1A: holding down the buttons and ACK TEST switch on the instrument, this sequence is programmed on either the ISA or ISA-F1A-A.
- · Programming of the inputs. -
- Set the inputs are open or closed in normal absence of alarm and food in the form.
- Connecting momentarily to enter the SET (5 and 20) the state of the inputs is stored permanently.

• Features:

- Power 115/230 VAC 50/60 Hz
- Power Consumption 6 VA max
- Temperature Operation 0 to +50 ° C
- Storage Temperature -20 To +70 ° C
- Humidity -
- Housing material Retardant ABS resin
- Dimensions 72x144x170 mm to DIN 43700 standards
- Panel Cut 68 x 138 mm
- FPS IP54
- Weight 1kg
- Terminals Removable screw terminals
- Mounting panel with two screw clamps
- CE marking Second EMC EN50081-1, EN50082-2
- Electrical Safety second EN61010-1