Paradox NVX80

Security Alarms and Fire Systems - PIRs - MW - Paradox NVX80
Rating Not Rated Yet
Sales price £302.03
Discount
Tax amount

Ask a question about this product

Description

Paradox NVX80

- Powerful Indoor - Outdoor Detector with Anti-Mask and SeeTrue™ Technology
- The NVX80 is a powerful indoor - outdoor detector that is highly sensitive, accurate and maintains reliability, even in extreme environments.
- The NVX80 is the only detector in the industry offering eight detection channels - 4x forward looking PIR channels (2x quad interlock geometry sensors), 2x microwave channels and 2x standalone creep detector (1quad sensor with interlock geometry).

- Unprecedented detection accuracy
- NVX80 combines unique Paradox technologies to provide superior detection with minimum false alarms.

- SeeTrueTM Technology (Patent Pending)
- Identifies camouflaged movements used to breach common PIR and dual tech detectors
- Sensitivity is enhanced while maintaining reliability (even in high temperature environments) - no compromise on false alarm immunity

- Active IR (Patent Pending) & MW (Patented) Anti-Mask Detection
- The NVX80 recognizes:
- objects placed in close proximity (within 11.8in. - 30cm)
- objects placed directly on the lens (clear lacquer, clear adhesive tape, aluminum foil etc.)
- degradation of the lens by dirt or dust
- movement within close range of the unit (0.5m - 2m - 1.6ft - 6.5ft) – range is customizable

- Dedicated Creep Detector
- Integrated Creep Detection unit with dedicated sensor and circuitry provides:
- highly sensitive and reliable protection of a large creep area (0.1m-3m-0.3-9.8ft.)
- enables independent customization of creep sensitivity to secure the area directly below the detector

- Pet ImmunityTM(Patented Paradox Technology)
- Integrated Creep Detection unit with dedicated sensor and circuitry provides:
- uses size discrimination to filter out objects under 80cm (32in.) high, preventing pets weighing up to 20kg (44lbs.) from triggering the detector and creating a false alarm

- Configuration made easy
- Quick installation
- Full color OLED menu display and 4-button interface – intuitive guide to program, customize settings and test the unit.
- Dedicated diagnostics for PIR, MW, anti-mask and SeeTrueTM enable simple, accurate, one time installation. No jumpers, trimmers or complex wiring needed

NVX80 features:

- A large detection pattern (15m x 15m - 50ft x 50ft)
- Certification: EN 50131 Grade 3 Class IV
- Available in bracket configuration and wall mount
- All-weather cover included